

according to 1907/2006/EC, Article 31

Printing date 04.05.2016 Version number 6 Revision: 04.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: FIX 10-M

· Article number: 201818

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Plugcement
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SCHOMBURG GmbH & Co. KG

Aquafinstr. 2-8 D-32760 Detmold Germany

·

Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de

· Informing department:

Product Safety Department

Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106

email: guido.herfort@schomburg.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07
- Signal word Danger
- Hazard-determining components of labelling:

Cement, portland, chemicals calcium dihydroxide

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 04.05.2016 Version number 6 Revision: 04.05.2016

Trade name: FIX 10-M

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Product based on cement and mineral filler.

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals 50-100%

EINECS: 266-043-4 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335

CAS: 584-08-7 potassium carbonate 2,5-10%

EINECS: 209-529-3 **(**) Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

CAS: 1305-62-0 calcium dihydroxide < 2,5%

EINECS: 215-137-3 📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; STOT SE 3, H335

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Personal protection for the First Aider.
- · After inhalation

Supply fresh air; consult doctor in case of symptoms.

Carry persons out of the dust-contaminated area.

- · After skin contact After contact, clean the skin mechanical and rinse with water and soap.
- · After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- · After swallowing Drink copious amounts of water. Avert vomiting. Instantly call for doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Product is not inflammable.

Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

The product formed corrosive water for fire-fighting.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information Follow the emergency-plan.

GB

according to 1907/2006/EC, Article 31

Printing date 04.05.2016 Version number 6 Revision: 04.05.2016

Trade name: FIX 10-M

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust.

Avoid eye- and skin contact.

Wear protective clothing.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:

Do not flush with water or aqueous cleansing agents

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

See Section 7 for information on safe handling

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep away from children.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Keep containers tightly sealed.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: Protect against wetness and water.
- Information about storage in one common storage facility:

Please follow the rules of the VCI-Storage-Concept for chemicals.

- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7 MSDS.
- 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals (50-100%)

WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

1305-62-0 calcium dihydroxide (< 2.5%)

WEL Long-term value: 5 mg/m³

- · Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Avoid contact with the eyes and skin.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Be sure to clean skin thoroughly after work and before breaks.

- · Breathing equipment: Use respiratory protective equipment at formation of dust.
- · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves.
- · Material of gloves

Butyl rubber II R: Thickness ≥ 0,5mm; Break through time ≥ 480 min

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 04.05.2016 Version number 6 Revision: 04.05.2016

Trade name: FIX 10-M

(Contd. of page 3)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Appearance:

Form: Powder Grey
Smell: Odourless

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting.

· **Danger of explosion:** Product is not explosive.

• **Density at 20 °C** 1,237 g/cm³

· Solubility in / Miscibility with

Water: miscible

9.2 Other information
 No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:

584-08-7 potassium carbonate

Oral LD50 >2000 mg/kg (rats)

1305-62-0 calcium dihydroxide

Oral LD50 7340 mg/kg (rats)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 04.05.2016 Version number 6 Revision: 04.05.2016

Trade name: FIX 10-M

(Contd. of page 4)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 10 00 00 WASTES FROM THERMAL PROCESSES
- 10 12 00 wastes from manufacture of ceramic goods, bricks, tiles and construction products
- 10 12 03 particulates and dust
- 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
- 17 01 00 concrete, bricks, tiles and ceramics
- 17 01 01 concrete
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

Void	
Void	
Void	
	Void

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 04.05.2016 Version number 6 Revision: 04.05.2016

Trade name: FIX 10-M

		(Contd. of page 5)
· 14.4 Packing group · ADR, IMDG	Void	
· 14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann of Marpol and the IBC Code	nex II Not applicable.	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· * Data compared to the previous version altered.

GB