Safety data sheet

according to 1907/2006/EC, Article 31

SCHOMBURG

Printing date 02.05.2016

Version number 8

Revision: 18.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: ASOLIN-SFC 45 · Article number: 201247 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Surface protection 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SCHOMBURG GmbH & Co. KG Aquafinstr. 2-8 D-32760 Detmold Germany Tel: ++49 (0)5231/953-00 Fax: ++49 (0)5231/953-123 email: info@schomburg.de web: www.schomburg.de Informing department: Product Safety Department Tel: ++49 (0)5231/953-193 Fax: ++49 (0)5231/953-106 email: guido.herfort@schomburg.de **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void · Additional information: Safety data sheet available on request. · 2.3 Other hazards The application of the material can generate an explosive atmosphere. · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Chemical characterisation: Mixtures · Description: alkoxisilane Dangerous components: CAS: 64742-47-8 Distillates (petroleum), hydrotreated light 25-50% EINECS: 265-149-8 🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304 CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy 10-25% EINECS: 265-150-3 🚸 Asp. Tox. 1, H304 • Additional information For the wording of the listed risk phrases refer to section 16. GB (Contd. on page 2)

Printing date 02.05.2016

Version number 8

Revision: 18.03.2016

Trade name: ASOLIN-SFC 45

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- Personal protection for the First Aider.
- It is possible to choke in case of vomiting in unconsciousness.
- Bring unconscious persons into a stable position on side.
- Keep the respiratory tract free (remove dentures and vomiting).
- Check the pulse. In case of heart failure you have to make a cardiac massage. In case of stoppage of breathing: artificial respiration.
- Take up a doctor immediately!
- After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor. Show the pack or the label to the doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Follow the emergency-plan.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Bring persons out of danger.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on onfo ha

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2016

Version number 8

Revision: 18.03.2016

Trade name: ASOLIN-SFC 45

(Contd. of page 2) Keep away from children. Information about protection against explosions and fires: Fumes can combine with air to form an explosive mixture. Keep ignition sources away - Do not smoke. 7.2 Conditions for safe storage, including any incompatibilities Storage · Requirements to be met by storerooms and containers: No special requirements. · Information about storage in one common storage facility: Please follow the rules of the VCI-Storage-Concept for chemicals. • Further information about storage conditions: Keep container tightly sealed. · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · Additional information about design of technical systems: It must be possible to wash the skin in the working area. Eye-wash bottle must be available. 8.1 Control parameters · Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. · Additional information: The lists that were valid during the compilation were used as basis. 8.2 Exposure controls Personal protective equipment · General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals. Instantly remove any soiled and impregnated garments. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Be sure to clean skin thoroughly after work and before breaks. When the material is hardened on the skin, remove it carfully mechanically. · Breathing equipment: Not required. · Protection of hands: Hand Protection: Nitril-rubber-latex-gloves. · Material of gloves Butyl rubber II R: Thickness ≥ 0.5 mm; Break through time ≥ 480 min · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eve protection: Safety glasses · Body protection: Protective work clothing. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Pasty Colour: antique white · Smell: Light · Change in condition Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

(Contd. on page 4)

- GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2016

Version number 8

Revision: 18.03.2016

Trade name: ASOLIN-SFC 45

		(Contd. of page 3)
· Flash point:	75 ℃	
· Ignition temperature:	375 ℃	
· Self-inflammability:	Product is not selfigniting.	
 Danger of explosion: 	Product is not explosive.	
 Critical values for explosion Lower: Upper: 	on: Not determined. Not determined.	
· Density at 25 °C	0,8426 g/cm ³	
 Solubility in / Miscibility w Water: 	ith Emulsifiable	
 Viscosity: dynamic: 9.2 Other information 	Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

Oral LD50 >2000 mg/kg (rats) Dermal LD50 >2000 mg/kg (rats)

Inhalative LC50 >5.2 mg/l (rats)

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 >2000 mg/kg (rats)

Dermal LD50 >2000 mg/kg (rabbit)

Inhalative LC 50 >5 mg/l (rats)

- Primary irritant effect:
- · Skin corrosion/irritation It is possible to irritate the skin.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.05.2016

Version number 8

Revision: 18.03.2016

Trade name: ASOLIN-SFC 45

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
[·] ADR, ADN, IMDG, IATA [·] Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 6)

Printing date 02.05.2016

Version number 8

Revision: 18.03.2016

Trade name: ASOLIN-SFC 45

(Contd. of page 5)

GB

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

· Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The classification based on german instructions.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways.

- · Department issuing data specification sheet: Environment protection department.
- · Contact: Mr. Guido Herfort
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

* Data compared to the previous version altered.